



Face Spanner Wrench

Set 315158 Adjustable 9 Piece

- Suitable for loosening and tightening nuts with holes on surface
- Knurled central divider type nut allows width adjustment and locks it into place
- Pin size: 2.5, 3, 4, 5, 6, 7, 8, 9,mm
- Capacity: 20-100mm



WHILE STOCKS LAST

Nut Cracking Bar

321032 1/2" Sq.Dr 140mm

- For seized & stubborn nuts
- High leverage 180° rotating head Rubber handle for additional user support



Right Angle Drill

Attachment 321921

- Provides up to 49Nm of torque
- Includes PH1 and PH2 bits

CRAZY PRICE

Sykes-Pickavant。

Professional Slimline LED Headlamp 300607

Rechargeable



- Lightweight and easy to use LED headlamp easily lights up dark areas
- Features three lighting modes: eco, normal and sense mode Sense mode allows for a truly hands free operation by just swiping your hand in front on the motion sensor to either quickly turn on or off the headlamp

NEW PRODUCT



Precision Screwdriver

Set 301563 12 Piece

- Professional precision screwdrivers for removing and installing micro screws
- Manufactured from alloy steel for strength and durability
- Sizes: SL1, SL1.5, SL2, SL2.4, SL3, SL3.5, SL4, P#000, P#00, P#0, P#1, P#2



86 01 180 180mm

- 14% more gripping capacity, 10% less weight
- Laser etched adjustment scale and anti pinch handle design Black atramentized finish, smooth jaws
- Replaces a whole set
 Made in Germany







Parallel Pin Punch Set with **BONUS Mini 300mm** Wrecking Bar RBP006

Made in Germany





Double sided rule - Metric & Imperial

Easy Pick-up rule - Metric

Taper Gauge - Metric



300

150

1-15











TIME SPECIALS . TAX

Pistol Grease Gun

300mm flexible hose and 4 jaw coupled



Mini Pistol Grease Gun

305222 85q

- Single hand operated with convenient pull type mechanism
- Output: 0.4g per stroke (1oz per 71 strokes) Pressure: 24,000 kPa (3,500 PSI, 240 Bar)
- Bulk capacity: 120cm³



Lever Action Grease Gun

305219 Heavy Duty 450q

- Lever action grease gun with 150mm steel extension, 300mm flexible hose and 4 jaw coupler Suitable for both cartridge and bulk fill
- Cartridge capacity: 450g
- Bulk capacity: 650cm³
- Output: 1g per stroke Pressure: 69,000 kpa



Universal Funnel

Universal clamp design provides

effective and mess free filling of fluids Adjustable clamp range: 28 – 74mm







Flexible Heavy Duty Grease Hose

- Superior construction inner tubing is polyamide with polyurethane sheathing, reinforced diagonally in highly tear resistant polyester with zinc plated end connections
- Suitable for hand operated grease guns only

Part No.	Working Pressure	Length mm	Thread	PRICE
305234	40,000 kPa	300	1/8" BSPT	\$10.95
305235	40,000 kPa	450	1/8" BSPT	\$13.95
305236	40,000 kPa	500	1/8" BSPT	\$14.95

Variable Length 'Ezee-flo' Pump

305500

Down-stroke discharge

- Use on 20 litre containers with adaptors to suit most drum
- types including those with Rieke or regular openings Not for use with water based
- and other corrosive










Heavy Duty

Suits 50–250 litre drums

Pump handle rotates a sintered powde



For use with class 1 and 2 flammable and combustible liquids such as Petrol, Naphtha, Alcohols\and other solvents





Anti-static hose



Drain Pans

- Storage and evacuation
- Ensures safe transportation and storage without spillage

Part No.	Capacity	PRICE
305090	10 Litre	\$38.95
305091	17 Litre	\$59.95

Grease Gun Holder 305001 Heavy Duty

Suitable for most 400g and 450g

grease guns with body diameters from 57-63.5 mm



.95

Bearing Packer

305161 Heavy Duty

- For heavy vehicle and industrial applications Simply apply pressure and old grease is forced out and evenly replaced by fresh grease
- Unique design allows for mess free operation Grease is filled with grease gun via centre grease nipple
- Suits bearings with an outside diameter



Watering Can

305095 10L Ideal for under the bonne

level refilling e.g. radiato battery, windscreen washer etc.





Clear Canister Grease Guns 450g

- Enables easy grease identification
- Easily identify both contents and amount remaining
- High tolerance aluminium die cast head
- Extra strong polycarbonate tube with die cast aluminium adaptors

Part No	Туре	Includes	Thread	Output	PRICE
305101	Pistol	100mm steel extension, 300mm flexible hose and 4 Jaw coupler	1/8" BSPT	0.5g per stroke	\$116.95
305100	Lever	150mm steel extension & 4 Jaw coupler	1/8" BSPT	1g per stroke	\$99.95

Hydraulic Coupler 4 Jaw

- Hydraulic coupler with 4 jaw design allows greater working angle
- Spring loaded ball check to retain pressure
- For use on hand held grease guns only
- Pressure: 42,300 kPa

· · · · · · · · · · · · · · · · · · ·				
Part No.	Working Pressure	Thread	PRICE	
305231	42,300kPa	1/8" BSPT	\$3.95	
305232	69 000 kPa	1/8" RSPT	\$5.05	

Portable Bearing Packer

- Handy tool for quickly packing bearings
- Suitable for cars, trailers and light trucks





Grease Filler Dispenser 305155 Heavy Duty

 Forces out old grease from bearings and evenly replaces with fresh

- Simply sits on top of a 20 litre grease drum for mess free operation Suits bearings from 100mm to
- 200mm in diameter Ideal for all heavy vehicle, industrial
- and agricultural applications Inbuilt cover keeps grease free from contaminates





TIME SPECIAL

Rotary Drum Pump 305251 50-205 Litre Drums Suitable for transfer of diesel, kerosene, heating oils, motor oils, lubricating oils (up to SAE 90) and non-corrosive fluids of light to medium viscosity



Oil Cans

- Seamless, heavy gauge tin sheet with a powder coated finish
- Deluxe brass suction pumps with two ball valves for large volume delivery per stroke
- The suction valve at the bottom of the pump has no spring to prevent sticking valve



Part No.	Туре	Capacity	Spout Size	PRICE
305257	Lever with rigid spout	200ml	125mm	\$9.95
305260	Lever with rigid and flexible spout	700ml	Rigid: 175mm Flexible:200mm	\$14.95
305261	Pistol grip with rigid and flexible spout	125ml	Rigid: 100mm Flexible:125mm	\$7.95

Drum Trap

- Fits into 3/4" threaded
- opening on 20–65 litre drums Facilitates convenient dispensing of media under gravity flow
- Lockable with bucket hanger
- Not suitable for use with corrosive media



Fluid Change Syringes

- For neat, clean and accurate fluid suction and dispensing
- Suitable for engine oil, gear oil, differential oil etc
- Replacement seal kits available

Part No.	Capacity	Hose Length	PRICE
305152	200ml	200mm	\$41.95
305151	1.5 Litre	400mm	\$83.95

Oil Measuring Container

- Suitable for use with non-corrosive liquids
- Detachable flexible spout and cover lid for easy pouring

Part No.	Capacity	PRICE
305214	1 litre	\$15.95
305264	5 Litres	\$21.95



Suction Gun

305227 500ml

- Designed to transfer gear oils in and out of gear boxes
- transfer cases and differentials Lip seal provides maximum suction
- Powder coated, textured steel barrel for firm grip No priming required

- Comes with 300mm (12") flexible vinyl hose



- Suitable for automotive fluids such as engine oil, coolant, brake fluid, transmission oil, petrol and diesel fuel, etc
- Suitable height for work under motorcycles and ATV's
- Recessed castors provide easy mobility and transportation
- Dimensions: 850 x 600 x 125mm





Funnels 1.1 Litres

- Suitable for most passenger vehicles and light commercial vehicles with AdBlue® filler necks
- Manufactured from materials resistant to urea based fluids such as AdBlue®
- Supplied with lid for mess free storage

Part No	Style
305400	Straight
305401	Angled Spout







AdBlue[®]

Filler/Extraction Syringe

305402 1.5L

- Specialty syringe designed for AdBlue® filling and extraction
- Safe and efficient way to handle AdBlue® Suitable for all passenger vehicles, LCV and heavy vehicles etc
- Features large double seal plunger and 410mm suction tube







305158 500ml

Bolt Cutters Centre Cut

- Suitable for general purpose use with soft and

- Ideal for mining, industrial and hardware applications
- Robust steel structure with chrome-molybdenum

316002	450mm (18")	8mm (5/16")	6mm (¼")	\$53.
316004	750mm (30")	13mm (½")	8mm (5/16")	\$90.
316005	900mm (36")	16mm (%")	10mm (¾")	\$123
2007				





Compact Hand Cable Cutter

- Curved blade design delivers a clean cut without causing distortion of the cable or
- Suitable for use on copper and aluminium cables
- Drop forged alloy steel for superior strength and durability
- PVC dipped handles

Part No.	Length	Cutting Range Max	PRICE
316009	150mm (6")	22mm²	\$27.95
316010	200mm (8")	38mm²	\$31.95

95 95 .95



Compact Hand Cable Cutter CC60A 230mm (9")

- Curved blade design delivers a clean cut without causing distortion of the cable or fraved ends
- Suitable for use on copper and aluminium cables up to 70mm²
- Not suitable for steel wire or wire ropes
 Cutting range (max): 70mm²



Aviation Snips

- $Serrated\ cutting\ blades\ are\ heat\ treated\ for\ easy\ cutting, superior\ strength,$ toughness and durability
- Cuts up to 1.2mm cold rolled steel or 0.7mm AISI-304 stainless steel
- Manufactured from chromium molybdenum steel

Part No.	Description	Length
301120	Left Cut (Red)	250mm (10")
301121	Straight Cut (Yellow)	250mm (10")
301122	Right Cut (Green)	250mm (10")

Exhaust & Tailpipe Cutters

312295 Plier Type

- Cut exhaust tubing easily without the need to exert pressure
- Chain with in-built roller cutters slice into the exhaust pipe Able to cut wall tube pipe from 20-82mm diameter



Concrete Nippers EN8 200mm

- Precision cutting edges for cutting and twisting steel fixing wire
- Suitable for most soft and hard wire up to 3mm in diamete
- Jaw opening: 0-14mm Jaw width: 31mm

Pocket Cutter 316006 200mm

- Slim head centre cut jaw design enables close surface cutting
- Hardened and tempered jaws for superior strength and durability
- Cut type: Centre



Wire Rope

& Spring Wire Cutter 316022 255mm

- Triangular cutting blade design delivers a clean cut without causing distortion of the cable or frayed ends
- Spring return and locking latch for single handed operation
- Hardened and tempered cutting blades for superior strength and durability
- Steel wire rope: 5mm (3/16") Cutting capacity: 1.5mm (1/16")

Ratchet Cable Cutter

316023 255mm

- Curved blade design delivers a clean cut without causing distortion of the cable or fraved ends
- For cutting copper and aluminium wires, single and multiple wires up to 32mm diameter
- Not suitable for steel wire or wire ropes
- Cutting range: Up to 32mm



Mini Pocket Saw

321041 220mm

- Handy mini pocket saw suitable for cutting wood, PVC and rubber hoses
- Retractable 90mm hardened alloy steel blade folds into handle



Rubber Hose Piper Cutter

- Straight blade cuts rubber hoses 6-25mm in diameter
- A/C hose and workshop air line hose etc.



Mini Tube Cutter 301032 3-15mm

- Wide dual wheel roller design for neat
- Suitable for use on plastic, brass, copper, aluminium and mild steel tubing Metal construction with hardened SK2 alloy steel cutting wheel

Standard Tube Cutter

301033 3-30mm

- Wide dual wheel roller design for neat and square tube cutting
- Tapered burr remover to clean piping after cutting
- Suitable for use on plastic, brass, copper, aluminium and mild steel tubing
- Ideal for automotive, plumbing, industrial and hardware applications



Electro-Mechanical Cutters

PC6 150mm

316008

- Hardened precision cutting edges for cutting and twisting soft wire
- Suitable for use in fine electrical and electronics applications
- Ideal for cutting plastic e.g cable ties
- High carbon steel for superior strength and durability



Cutting, Crimping & Swaging Tools

- For swaging copper or aluminium sleeves on to wire cables
- Features swaging jaws, cutter and crimper head design to enable complete crimp and cut operation

 • Suitable for use on swaging sleeves up to 5mm (3/16")

600mm

\$65.95

1.58-5mm

Air Conditioning Hose Cutter

308011 14mm

• Cuts through vinyl, poly and most hoses up to 14mm in dia. · Heat treated stainless steel blade for maximum durability









File Sets 4 Piece

Part No.	Contents	Cut Type	Length
TFR2501	1 x round, half round, flat and square file	Bastard	250mm
TFR2502	1 x round, half round, flat and square file	Second Cut	250mm
TFR2503	1 x round, half round, flat and square file	Smooth Cut	250mm

Cable Cutter & Stripper

302035

- Curve blade design suitable for cutting up to 11mm
- Features additional SK5 carbon steel stripping knife in handle with adjusting knob design for longitudinal stripping

Pocket Knife

321301 Single Blade Lock Back

- Compact pocket knife with lock back style mechanism
- Stainless steel drop point blade suitable for various applications



Stock Knife

SK3 Triple Blade 180mm

- Stainless steel triple blade stock knife with wooden handle
- Suitable for various applications



Stock Knives

Single Blade with Leather Pouch

- Suitable for automotive and industrial applications
- Stainless steel precision cut blade
- Ergonomic handle with brass trims Supplied with genuine leather pouch







\$110.95





Stock Knife

2BK7 Twin Blade 160mm

- Double fold out precision cut stainless steel blades suitable for automotive and industrial applications
- Ergonomic wooden handle on stainless steel frame
- Clip point and spey point blades

LEARANCE

Countersinks

- Made from tempered and hardened carbon steel
- Suitable for use on plastics and wood
- Provides flush mount for countersunk screws

 Made Ir 	ı Japan			III II	
Part No.	Description	Shank Size	PRICE		
321035	Light Duty	6mm	\$5.95	l e	Duty
321036	Medium Duty	6mm	\$8.95	Light Duty	Medium Duty

CLEARANCE





- Unique tool for enlarging and shaping holes, scroll cutting and smoothing
- Creates own initial starting hole and cuts as per direction tool is moved
- Made In Japan





Strike Thru Scrapers Extra Heavy Duty

- For scraping baked on gaskets, seals, cured silicone etc
- Extra strong steel striking cap provides endless blow without mushrooming end
- Ergonomic design handle provides non slip grip
- Made in Japan

Part No.	Description	Tip Width	Shaft	Length	PRICE
301558	Straight Blade	15mm	110mm	235mm	\$30.95
301559	Curved Blade	30mm	230mm	355mm	\$37.95



\$49.95



Slot Chisel Heavy Duty 301560 Straight 240mm

- For the removal of slag during steel cutting or welding
 For cutting thin sheet metal, removing corroded bolt heads, removing old paint and
- Unique thin design maintains sharpness of blade
- Heavy duty specially hardened and tempered alloy steel
- Blade thickness: 5.5mm Blade width: 25mm
- Made in Japan






Razor Style Long Reach Scraper 301247 6 Piece 280mm

- Special tool designed for scraping windows and glass
 Also ideal for scraping paint from mirrors, tiles and other flat surfaces
- Blade width: 40mm

Automatic Self Grip Pullers

- Quick change head design allows for 2 or 3 jaw external or internal pulling work
- Maximum grip for all pulling applications Easy removal of bearings, pulleys, gears and sprockets





Part No.	Size	Spread mm	Reach mm	Capacity	PRICE
225040	4"	76-102	90	10 Tonne	\$124.95
225070	7″	76-178	135	20 Tonne	\$241.95



Slide Hammer Gear / Bearing Puller Kit

269000 Mechanical 1.2kgs

 Includes two 100mm internal triple leg pullers (15-30mm & 30-80mm) and one 100mm external triple leg puller (15-80mm), slide hammer 1.1kg



Mechanical & Hydraulic 3 Jaw

- Kit contains all the components for mechanical and hydraulic assembly
- Removes stubborn bearings, gears, sprockets and pulleys effortlessly without damaging shaft and surrounding components
- Includes heavy duty 10 tonne hydraulic ram and 210mm forcing screw with centre nut, triple beam, various extension rods, puller leg set and three jaw bearing separator





Hydraulic Puller Set

265050 Twin & Triple Leg 200mm

- Most popular sized hydraulic puller includes the famous Toledo hydraulic 10 tonne ram
- Suitable for all applications in automotive, agriculture, industrial, marine, mining
- Supplied in high grade EVA foam tray suitable for all tool boxes

Hydraulic Ram & Nose Piece

265100 10 Tonne

- Overall Length: 160mm
- Width: 35mm Thread Size: 1 1/2- 16TPI






Split Collet Extractor

246300 9 Piece

- Extract components quickly and efficiently when conventional pullers cannot be used
- Removes bearings, oil seals etc. without damaging housing
- Collet size range: Ø 8-23mm





Micro Adjustable **Bearing Puller**

246600 Mechanical 1 Tonne Capacity

- Designed for the rapid easy removal of small bearings and similar assemblies
- Three legs with independent leaf springs
- Spread: 19-45mm



Bearing Puller

- application



Bearing Separator Puller Kit 221000

Mechanical 12 Piece 5 Tonne


- Tapered separator edge design enables insertion behind close fitting bearings, gears etc. Includes 30 - 50mm & 50 - 75mm
- capacity bearing separators
- Supplied in moulded plastic hard case



Bearing Separator

245000 Three Jaw 35-105mm

- To remove bearings, gears and sprockets effortlessly without damaging shaft and surrounding components
- Special three piece jaw design provides three positive contact points and





Power Steering Pump Pulley Kit 245380

- For quick and damage free removal and installation of power steering pump pulleys
- Designed specifically to suit 28 - 35mm pulley hub diameters
- Applications include Ford Falcon FG, Ford C111, Saginaw, Thompson, C2 power steering pumps



Single Point Pressure Beam Puller Kit

222001 Mechanical

- Pressure beam provides a superior grip to the application and extra stability
- Suitable for extra tough pulling jobs where additional strength and stability is required Spread: 60 - 100mm
- Reach: 100 170mm



Harmonic Balancer Puller & Installer Set

245400 Mechanical

- Unique disc design intended for
- trouble free removal of harmonic balancers
- Range of metric and imperial sized bolts and adaptors provide a wide coverage
- Includes 3 x M8 x 1.25, M10 x 1.00, M10 x 1.25







269013 Heavy Duty

Reach: 190mm

- Heavy duty slide hammer combination hub puller suitable for 4 and 5 stud axles
- Includes 10 tonne hydraulic ram and 2.8kg slide hammer
- Diameter 148.5mm, Height 90mm

Torque Multiplier Nut Cracking Set 309055 3200Nm For removing stubborn

wheel nuts on heavy vehicles, light commercial trucks, buses and vans

Features seven deep 75mm six point 1" square drive impact



Designed for use in applications where a higher than

- otherwise achievable torque rating is required
- Ideal for breaking difficult or frozen fastener application
- Extension bar and stabiliser also included

Wheel Hanger Pin

309110 Universal

- For fitting and removing heavy SUV and 4x4 wheels including wheels with spacers
 - Alians brake disc and hub when fitting
- Male: M12x1.50, M14x1.25, M14x1.50, M16x1.50
- Female: M12x1.50



Torque Extension Bar Set

309500 10 Piece

- 1/2" square drive with colour coding for easy identification and precise
- Torque settings: 90, 100, 110, 120, 135, 150, 160, 175, 190, 200Nm





Disc Brake Tyre Depth Gauge

310020

0-60mm

- Measure brake disc thickness or tyre tread depth
- Floating jaw enables removal from disc while retaining reading
- Robust aluminium construction





Tyre Valve Remover & Installer 309000

Flexible Head 180°

- Rubber bumper protects rim edge from damage during removal and installation of valve stem
- Suitable for mag, alloy and steel wheels





Tyre Valve Remover Set

309246 2 Piece

- Used for the removal and installation of tyre valve cores
- Moulded plastic handles allow for a secure grip
- Regular reach unit for passenger vehicles and motorcycles 110mm long Long reach unit ideal for trucks 155mm long



- For the removal and installation of bearings, bushes and ball joints
- The unique press frame design allows for complete portability
 Contains 22 press sleeves that are suitable for most passenger, 4WD and light
- The 10T hydraulic ram is strong enough to remove the most stubborn bushes or ball
- Supplied in a heavy duty blow mould case with castor wheels
- Outside diameter range: 26-68mm



Tyre Lever Tyre lever to easily remove and refit tyres on to rims Manufactured from hardened and tempered drop forged chrome vanadium steel PRICE \$37.95 309035 600mm



Professional Set 300mm

- Specifically designed for safe and effective compression of automotive coil springs
- Suitable for passenger vehicles and light commercials

Inner Tie Rod Tool Set 311287

- Specialty kit designed for inner tie rods which are inaccessible to adjust
- Sizes include: 14, 17, 33.6 (mm) and 1 3/16", 1 14", 15/6", 17/6"



Oil Filter Cup Wrench Set 305800 19 Piece Suitable for use on popular petrol or diesel filters used in passenger, light commercial and heavy duty applications Features two of the popular Toyota sizes

for removing the plastic cartridge housing

on most 4cvl and 6cvl applications



Oil Filter Remover 305211 Nylon Strap 1/2" Sq. Dr

- Sturdy non-slip nylon strap for spin-on type filters of up to 150mm(6") in diameter





- Suitable for removing stubborn spin-on filters of up to 150mm diameter
 Width: 50mm

Pump Up Pressure Sprayers

- Pump action pressure sprayer with heavy duty viton seals
- Ideal for most workshop liquids and solvents
- Adiustable nozzle from mist to direct jet spray pattern

Part No.	Working Pressure	Capacity	PRICE
305153	50-70psi	1 Litre	\$33.95
305154	50-70psi	2 Litre	\$43.95

Flashlight

321033 Telescopic Magnetic

- Telescopic shaft, 360° flexible head. Max ext. 550mm
- 3 LED bulbs, batteries included



- Features pocket clip and telescopic body for adjustable reach
- Features strong magnetic power for firm retrieval and pick-up of ferrous material
- Manufactured from durable stainless steel

Part No.	Range	Magnet Size	Magnet Capacity	PRICE
301298	170 - 760mm	Ø7mm	700g	\$16.95
301299	170 - 760mm	Ø 13mm	3600g	\$19.95

5.95

Pick-Up Tool 301697

Magnetic Claw Style Heavy Duty Flexible Shaft 700mm

Featuring flexible shaft with spring loaded extendable retrieval claw function including magnetic tip



Rubber Mallet

Black natural rubber head provides enough force without damaging the striking surface

Part No.	Weight	PRICE
321090	16oz	\$12.95
321091	24oz	\$14.95

Soft Face Hammer 321303 35mm

Ideal for fine bodywork adjustment or striking finely finished surfaces without causing damage

Ball Pein Hammers

- Carbon fibre core increases bending when striking by more than 25% over a conventional fibreglass type
- Made from durable alloy steel head

Part No.	Description	Weight	PRICE
321051	Carbon Fibre Handle	16oz	\$26.95
321052	Carbon Fibre Handle	24oz	\$35.95
321053	Carbon Fibre Handle	32oz	\$39.95
321054	Hickory Handle	16oz	\$23.95

Curved

Claw Hammer 321055 20oz

The unique ergonomically design handle prevents the hammer from slipping out of the users hand while striking

Club Hammer 321056 3lb

Small compact sizes is ideal for use with steel chisels, demolition and construction work

Sledge Hammer

321057 10lb 910mm

The durable hardened carbon steel head is ideal for repeated high impact striking

Combination **Pliers**

- For firm gripping and cutting
- Serrated gripping zones for flat and round material
- For most soft and hard wire up to 3mm in diameter

Part No.	Length mm	Jaw Opening	Jaw Width	PRICE
301990	180	0-40mm	11mm	\$26.95
301991	210	0-45mm	12mm	\$32.95
301992	230	0-32mm	12mm	\$36.95

Long Nose Pliers

- For cutting, gripping and manipulating all types of components and wires
- Excellent control and reach in confined spaces
- Suitable for most soft and hard wire up to 3mm in diameter

Part No.	Tip	Length mm	Jaw Opening	Jaw Width	PRICE
301996	Straight	210	0-85mm	3-10mm	\$26.95
301997	45°	210	0-75mm	3-10mm	\$28.95





TAX TIME SPECIALS • TAX

Diagonal Cutters

- Heavy duty cutters for powerful, efficient and precise cutting
- Suitable for most soft and hard wire up to 3mm in diameter





I	Part No.	Length mm	Jaw Opening	Jaw Width	PRICE
	301998	250	0-35mm	8mm	\$33.95
	301999	300	0-60mm	9mm	\$41.95

\$122^{.95}

Plier & Cutter Set

TPSA01 4 Piece

 Professional trade quality plier set includes combination, diagonal cutter, long nose and multi-grip pliers

 Chrome molybdenum with black phosphate finish



Plier & Cutter Set

TPSA02 In re-usable Tool Roll 4 Piece

- Professional trade quality plier set includes combination, diagonal cutter, long nose and multi-grip pliers
- Chrome molybdenum with black phosphate finish
- Supplied in heavy duty tool roll

Long Nose Plier Set

TPSA03 Extra Long 3 Piece

- Premium trade quality set features three different tip styles including straight, 45° bent and 90° bent Manufactured from chrome molybdenum with PVC
- dipped handles Supplied in high grade EVA foam tray





Circlip Plier Tool Roll TCPR01 4 Piece

 Four piece set includes external and internal straight circlip pliers

Supplied in heavy duty tool roll External Straight Tip 130mm (5") External Straight Tip 230mm (9") Internal Straight Tip 130mm (5") Internal Straight Tip 230mm (9")





Combination Fencing Pliers

- Combination plier including three specially designed wire cutters
- Serrated gripping zones for flat and round material
- FP10H 260mm with belt holster

Part No.	Jaw Opening	Jaw Width	Length	PRICE
FP10	0-52mm	13mm	260mm	\$20.95
FP10H	0-52mm	13mm	260mm	\$27.95



Parrot Beak Fencing Pliers HP10 270mm

- Designed for cutting, crimping, swaging, hammering and
- gripping wire and staples commonly used in fencing and farming applications Features two specially designed wire cutters, parrot lever assembly, serrated hammer and gripping zone, swager and crimper



Lock Grip Pliers VG250 Curved Jaw 250mm

- Curved jaws for better contact on bolt heads, nuts and round work
- Applies extra pressure across four points of contact on any style nut/bolt head



Circlip Pliers 4-20mm

- For the safe and easy removal and installation of circlips
- Drop forged and heat treated tips with specialty locating grooves

 PVC dipped handles and spring loaded operation

Part No.	Туре	Jaw Opening	Tip Dia.	Length	Style
301125	Straight	4-20mm	1.2mm	130mm	Internal
301126	90º tip	4-20mm	1.0mm	130mm	Internal
301127	Straight	4-20mm	1.2mm	130mm	External
301128	90º tip	4-20mm	1.0mm	130mm	External

Circlip Pliers 6-40mm

 For the safe and easy removal and installation of circlips · Drop forged and heat treated tips with specialty locating grooves

Part No.	Туре	Jaw Opening	Tip Dia.	Length	Style
301133	Straight	6-40mm	1.8mm	230mm	Internal
301134	90º tip	6-40mm	2.0mm	230mm	Internal
301135	Straight	6-40mm	1.8mm	230mm	External
301136	90º tip	6-40mm	2.0mm	230mm	External





- Easy pick-up rules feature a bent edge at one end to enable user to easily pick-up the rule
- Made in Japan

Part No.	Length	Width	PRICE
301956	150mm	15mm	\$6.95
301957	300mm	25mm	\$14.95



6.95

100:00 cm cm cm 146150 cm cm 140:002000 cm cm cm m = = 50 m

Stainless Steel Rules

Manufactured from high grade stainless steel

- made iii sapaii			
Part No.	Length	Description	PRICE
150BM	150mm	Single sided Metric	\$6.95
150B6	150mm	Double sided Metric & Imperial	\$7.95
300M	300mm	Single sided Metric	\$13.95
30012	300mm	Double sided Metric & Imperial	\$15.95
60024	600mm	Double sided Metric & Imperial	\$35.95
600M	600mm	Single sided Metric	\$27.95
100036	1000mm	Double sided Metric & Imperial	\$64.95

Single sided Metric

Engineering Squares

1000mm

Non-Graduated High Grade Professional

High grade Japanese Carbon Steel (S50C)

For automotive, industrial, metalwork, woodwork and engineering applications

Made in Japan



\$52.95





Taper Gauge

with hanging hole

- Used to measure internal diameters Ideal for measuring gaps, slot widths, hole or bore sizes and flange face
- to face dimensions Accuracy: -/+ 0.05mm
- Size Range 1-15mm
- Made in Japan

Part No.	Size Range	PRICE
700A	1-15mm	\$35.95
700B	15-30mm	\$49.95
700C	30-45mm	\$83.95
700D	45-60mm	\$100.95





Precision Measuring Set

321904 6 Piece Stainless Steel

- Satin chrome finish with
- photographically etched markings





Mini Square Metric - 300 x 150mm, Protractor 180°, Scriber - Pen Style with Pocket Clip, Spring Divider - Solid Nut 150mm, Stainless Steel Single Sided Rule Metric - 300mm, Taper Gauge - with Hanger Hole 1-15mm

25.95 FROM

Spring Dividers & Calipers

Stainless steel with spring joint for precision settings Legs pivot on a roller and are tensioned

Divider			
Part No.	Туре	Length	PRICE
50100	Solid Nut	100mm	\$25.95
50200	Solid Nut	200mm	\$29.95
50300	Solid Nut	300mm	\$42.95

Inside Caliper			
Part No.	Туре	Length	PRICE
51100	Solid Nut	100mm	\$25.95
51200	Solid Nut	200mm	\$29.95
51300	Solid Nut	300mm	\$42.95

Outside Caliper			
Part No.	Туре	Length	PRICE
52100	Solid Nut	100mm	\$25.95
52200	Solid Nut	200mm	\$29.95
52300	Solid Nut	300mm	\$42.95

NEW PRODUCT

Fuel Filter Wrench Diesel

307000 Hyundai/KIA 1/2"Sq. Dr

- For removing diesel fuel filters on Hyundai and KIA models (Also suits Volvo and Land Rover models)
- Applicable for Hyundai/KIA 2.0 2.2L CRDi engines Thin design allows enable to use in confined spaces
- Size: 106mm 15 Flutes

NEW PRODUCT

Valve Shim Adjusting Tool Set 304053 Toyota

- Essential tool for adjusting shims on Toyota/Lexus and Nissa
- engines Suitable for use with cylinder head on or off the vehicle
- Replace shims for adjusting valve clearance
- Equivalent OFM-Toyota 09248-55040 and Nissan KV101151S0



Injector Fuel Rail Puller

307011 Holden (GM)


- For removing injector fuel rails
- Avoids damaging injectors, injector bores and cylinder head during removal
- Both hooks reach under fuel rail to gently remove injectors evenly
- For V6 3.6L SIDI and 2.0L ECOTEC end
- Heavy duty steel to 0EM



Equivalent 0EM: EN-49248 **NEW PRODUCT**

Exhaust Gas Temperature **Sensor Socket Set**

301561 3/8" Sq. Dr Size: 13, 14, 17mm 6 Piece



- Includes single hex sockets in offset shallow
- and straight deep configuration Features cut away design allowing the wire to pass through without damaging plug
- Suitable for passenger, heavy goods vehicles tractors and marine diesel engines



 For removing broken, stripped and corroded fasteners

- Utilises left hand spiral design for gripping and removal
- Includes metric and imperial size range with recommended drilling size Size range: 1/4" - 1 1/46" (3 - 36mm)

Crowfoot Wrench Set

302999 ¼" Sq. Dr

Metric 9 Piece

- For use in confined work areas where standard wrenches are unable to access
- Straight jaws suitable for low torque applications
- Includes breaker bar and
- extension
- Size: 7, 8, 10, 11, 12, 13, 14mm



NEW PRODUCT

Torque Bar & Deep Socket Set 309512

1⁄2″ Sq. Dr 8 Piece

- Designed to accurately torque wheel nuts to correct specifications
- Thin wall with protective
- Polypropylene sleeve ensures whee surface is damage free
- Socket sizes: 17, 19, 21, 22mm
- Torque bar rating: 65, 80, 100, 120ft. lbs (88, 108, 135, 162nm)



- For diagnosing fine boost leaks in forced induction engines
- Professional kit pressurise the turbo charging system without having the engine running Suitable for testing turbo plumbing, intercooler, turbo housing and blow off valve etc
- Size range: Ø35 90mm
- Working pressure: 25psi

IUGE PRICE DROP!





Magnetic Box Levels

- Reinforced aluminium frame
- Epoxy locked shockproof vials
- Precision milled surfaces for accuracy (up to 1200mm) Enlarged easy read horizontal vial (33% bigger)
- Unique side-view vial provides accurate plumb reading

Part No.	Length	PRICE
322060	600mm	\$64.95
322120	1200mm	\$79.95
322180	1800mm	\$118.95
322240	2400mm	\$134.95









Magnetic Digital Box Levels

- Digital magnetic box level with degree, percentage and pitch modes
- Tilted backlit LCD screen swivels for upright read out Hold function with up to 9 memory store and recall space
- Audible buzzer at buzzer at $0^\circ, 45^\circ, 90^\circ$

Part No.	Length	PRICE
322050	600mm	\$134.95
322051	1200mm	\$179.95





PRICE **DROP!**



- Handy five piece pipe level set suitable for standard metal, copper and plastic PVC pipes
- Perfect for all plumbing and electrical pipe/conduit work
- Sizes: ½", ¾", 1", ¹¼"-¹½", 2"



Level Line 322455

- Includes two line levels with pocket clips and 20 metre line
- Lightweight levels eliminates sag V-groove for pipe work




Mini Magnetic Level 322013

- Handy pocket size magnetic level
- Lightweight aluminium with rubber shockproof end caps



Digital Laser Distance Measurer 322053 70m

- Professional distance measurer for simple, quick and precise distance reading with the push of a button








Dial Gauges Analogue

- High precision for precision mea uring work
- Waterproof & dustproof Shock-proof mechanism
- Easy read design
- Manufactured to JIS B 7503
- Made in Japan



Vernier Caliper 322201

- Hardened stainless steel with satin chrome finish









Metric Analogue Micrometers

Part No.	Graduation	Force (Nm)
322205	0.01 x 0-25mm	5-10Nm
322206	0.01 x 25-50mm	5-10Nm



Magnetic Base

322110 8mm

- Traditional piece of measuring equipment with 8mm diameter indicator/gauge mount hole Cast iron base with ON/OFF permanent magnetic function to
- provide shock free and vibration free measurement
- Dual pivot joints provide good versatility and functionality Fine adjustment clamp for micro measurement work
- Attach to flat or round surfaces and keep work in perfect
- Ideal for use with milling machines, lathes etc
- Mounting hole diameter: 8mm

T-Square 322215 450mm

- Ideal tool for all measuring and technical drawings
- Ideal for applications requiring accurate horizontal or vertical lines
 - Aluminium construction with special UV resistant ink printed graduations Thickness: 1.2mm
- Graduations Upper Edge: 1mm
- Graduations Lower Edge: 1mm

Jenny Caliper

321074 Fixed Joint 150mm

- Ideal tool for all measuring and technical drawings
- Ideal for applications requiring accurate horizontal or vertical lines Aluminium construction with special UV resistant ink printed graduations
- Thickness: 1.2mm
- Graduations Upper Edge: 1mm
- Graduations Lower Edge: 1mm

Crack Measure Gauge 321066

0.1 - 1.4mm

- Check the width of cracks in walls and
- Small pocket size allows for easy portability
- Built in 80mm rule
- Hardened Japanese stainless steel
- Made in Japan







Rule & Crack Measure

321079 150mm

- Gauge: 0.10 2.20mm
- Check the width of cracks in walls and foundations
- Hardened Japanese stainless steel
- Made in Japan





Security Spring Hooks

- Used to secure tools when working with heights
- Prevents injury and downtime as a result of falling tools Coil spring style stainless steel wire with PU coating

Part No.	Load	Range	PRICE
321261	1 kg	430 - 1400mm	\$17.95
321262	3 ka	600 - 1800mm	\$10.05

\$49.00

Precision Measuring Set

321903 3 Piece Professional stainless steel measuring set

- Satin chrome finish with photographically etched markings
- Supplied in custom high grade EVA foam tray Made in Japan

Mini Square Metric - 150 x 75mm.

Stainless Steel Rule Double Sided Metric & Imperial - 150mm. Taper Gauge - With Hanger Hole 1-15mm







DROP! HUGE PRICE DROP!



- Made in Switzerland





Carpenter's Square **322453** 600 x 400mm

- Heavy duty carbon steel frame with black painted coating
- Durable high visibility easy-read silkscreen printing
- Double side graduations Size: 600x400mm







Combination Square Set

322210 300mm

- Multi-application set for a wide range of measuring and lay out jobs
- Suitable for use as a rule, spirit level, plumb level, 45° level, try square (internal and external). height/depth gauge, marking gauge and scriber
- Common applications include jobs in woodworking, metal working and stonemasonry



FAMOUS OLEDO

PRECISION MEASURING

WITH BLUETOOTH®



Bluetooth SWISS MADE

- Premium Swiss made ultra-precision instruments
- Fully built in Bluetooth® technology No clunky expensive attachments!
- Direct connectivity with patented PC Software (sold separately)
- Simultaneous measuring with up to 16 individual units
- Speed up data taking with automatic digital record taking at the press of a button
- Remove human error in data taking
- IP67 rated
- Enquire now for detailed information and demonstration
- See full range online at toledo.com.au



- · Metric and Imperial read out
- Range: 0-150mm/0-6"
- Resolution: 0.01mm/0.0005'
- Error (Max.): 0-100: 20 μm, >100: 30 μm (DIN 862)



Digital Bluetooth® Dial Indicator 322402

- Calibration certificate included
- Metric & Imperial read out Range: 0-12.5mm/0-1/2"
- Resolution: 0.001mm/0.0001
- Frror (Max): 0-100: 20 um >100: 30 µm (DIN 862)





16 17 18 19 20 21 22 23 24 25 26 27 29 29 30 10 11 12

.95

Stainless Steel Rules

- One square end and one round end with easy hang hole
- Individually supplied with protective wallet

Part No.	Length mm/inch	PRICE
801000	150mm	\$1.95
801001	300mm	\$4.95
801002	600mm	\$6.95
801003	1000mm	\$16.95

.95

Dividers & Inside Calipers Solid Nut

- Manufactured from high grade polished steel
- Features solid nut for construction for firm adjustment





æ		OF
P	6	FROM

Adjustable Wrenches

- Drop forged chrome plated steel Four thread smooth
- operating jaws Graduated head

Part No.	Size mm/inch	PRICE
89150	150 (6")	\$6.95
89200	200 (8")	\$8.95
89250	250 (10")	\$11.95
89300	300 (12")	\$14.95
89375	375 (15")	\$27.95
89450	450 (18")	\$38.95



MADE IN GERMANY

SPECIALS · SPECIALS · SPECIALS · SPECIALS · SPECIALS

TwinKey 00 11 01

• For the actuation of locking systems from the areas of facilities engineering, heating and sanitation, air conditioning, electro technology, gas and water supply and shut-off-systems

Two 4-way spider keys connected in a space-saving way using magnets



Heavy Duty Power Pack 00 20 11 S

3 Piece Comfort Grip

Contents		
Part No.	Туре	Length mm
02 02 200	High Leverage Combination Plier	200
74 02 200	High Leverage Diagonal Cutter	200
87 02 250	Cobra® Waterpump Plier	250
87 02 250		250



Cobra® Twin Pack 00 31 20 V01 2 Piece



Alligator® Twin Pack 00 31 20 VO2 2 Piece

Contents: 180 and 250mm Knipex Alligator[®]



Cobra® & Pliers Wrench Twin Pack 00 31 20 V03 2 Piece

Contents: 180mm Pliers Wrench and 250mm Knipex Cobra[®]



Professional & Precision Circlip Plier Sets



- Professional: Solid style, forged with non-slip, solid tips
- Precision: With inserted tips, heavy duty in continuous operation, up to 10 times longer service life

Part No.	Туре	Contents (by part number)*	PRICE
00 19 56	Professional 4 Piece Tool Roll	44 11 J2, 44 21 J21, 46 11 A2, 46 21 A21	\$159.95
00 19 57	Precision 4 Piece Tool Roll	48 11 J1, 48 11 J2, 49 11 A1, 49 11 A2	\$189.95





TOCKED!







Tethered Tools & 1000 v △ €

Pliers with integrated, insulated tether attachment point for a tool tether

	Cutting Capacity			pacity	
Part No.	Description	Soft Wire Ø	Hard Wire Ø	Medium Hard Wire Ø	PRICE
03 06 180T	Combination Pliers	-	2.2 mm	3.4 mm	\$62.95
26 16 200T	Long Nose Pliers		2.2 mm	3.2 mm	\$74.95
70 06 180T	Diagonal Cutters	4.0mm	2.5mm	3.0mm	\$74.95
Part No.	Description		Capaci	ity	PRICE
Turcito.	Description	For Pipes Ø		For Nuts Ø	Times
87 26 250T	Cobra® Hightech Water Pump Plier	2.2 mm	50"	46mm	\$99.95

OVER STOCKED!



Edges carefully deburred Low-friction double spring for gentle and even opening

For gripping, holding and bending



- Precision cutting edges for soft and hard wire as well as piano wire
- Cuts bolts, nails, rivets, etc. up to 5.6 mm dia
- Most efficient joint design ensures exceptional cutting performance

Part No.	Handles	Length	Сар	oacity mn	1	PRICE
Part No.	nangies	mm	Medium	Hard	Piano	PRICE
71 01 160	Plastic	160	4.4	3.2	3.0	\$84.95
71 01 200	Plastic	200	5.2	4.0	3.6	\$97.95
71 01 250	Plastic	250	5.6	4.0	3.8	\$119.95



High Leverage Flush Cutter

72 62 200 200mm

 Energy saving, flush cutting also of thick workpieces thanks to extremely effective lever action mechanism with very





Pliers Wrench 250mm

- Replaces a whole set of spanners metric and imperial
- Work directly on chrome: zero backlash jaw pressure prevents damage to edges of
- Lever transmission greater than 10: 1 for strong gripping power

Part No.	Plier	Handles	Capacities for nuts	Adjustment Positions	PRICE
86 01 250	Atramentized	Plastic	52mm	19	\$139.95
86 02 250	Atramentized	Comfort	52mm	19	\$149.95
86 03 250	Chrome	Plastic	52mm	19	\$149.95
86 05 250	Chrome	Comfort	52mm	19	\$159.95
86 06 250	Chrome	VDE	52mm	19	\$189.95





MADE IN GERMANY

SPECIALS · SPECIALS · SPECIALS · SPECIALS · SPECIALS



- With crimp function for end sleeves (ferrules)
- Precisely ground blades with fine serration for clean, non-slip (nonskid) cut Crimp zone for crimping end sleeves (ferrules) up to a diameter of 6.0mm
- Handles with multi-component grips, glass fibre reinforced





- Saw blade for metal and wood with 25 teeth per inch
- Blade length: 150mm



- Sockets: 10, 11, 12, 13, 14, 17 & 19mm
- T-Handle 1/2"
- Knife: Dismantling Knife 135mm and Cable Knife 185mm



KNIPEX Cobra® XS

87 00 100 100mm

- Grips like a big tool: The smallest water pump pliers with full functional capability Access in the narrowest spaces: an especially compact design with a very slim head
- Single-handed fine adjustment by opening and sliding to the desired size







★ 1000 V △★





98 42 265mm Sq. Drive 1/2"

- Reversible for clockwise and anti-clockwise directions
- Easy and secure locking of attached sockets



KNIPEX TubiX Pipe Cutter 90 31 02

- With one hand only: cuts copper, brass or stainless steel pipes from 6 - 35mmØ with a wall thickness up to 2mm
- Quicklock single-handed quick adjustment: slide on, cut finished!





KNIPEX Alligator® 88 05 300 300mm

- More output and comfort compared to conventional water pump pliers of the same
- length: 9-notch adjustment positioning for 30 % more gripping capacity Good access to the workpiece due to slim size of head and joint area



- Flat, short, wide jaws
- Knurled gripping surfaces
- Chrome vanadium electric steel, forged, oil-hardened

Electronics Pliers Set 00 20 16P

6 Piece

Contains six precision electronics pliers

For very precise assembly work and ultra fine cutting

Contents

Part No.	Туре	Length	QTY
34 12 130	Gripping Pliers - Flat Wide Jaws	130mm	1
34 22 130	Gripping Pliers - Half Round Jaws	130mm	1
34 32 130	Gripping Pliers - Round Pointed Jaws	130mm	1
79 02 120	Diagonal Cutters - With Bevel	120mm	1
79 02 125	Diagonal Cutters - With Bevel	125mm	1
79 42 125	Diagonal Cutters - Without Bevel	125mm	1



30 41 160 160mm

- For easy fuse and bulb removal and installation
- With durable plastic tips for secure gripping and preventing short circuits Limited iaw closure to stop damage to fuse
- Gripping surfaces plastic coated





- for Cable Connectors 97 90 22
- In a TANOS MINI-systainer® (solid plastic box) T-Loc fastener for one-handed operation: open or close the systainer® with one turn and connect to a second systainer
- With an assortment of standard cable connectors
- With Crimping Pliers PreciForce® 97 52 36 (for insulated terminals and plug connectors)
- With Self-Adapting Universal Insulation Stripper "Multistrip 10" 12 42 195



Screwdrivers & 1000 v @€

- Ergonomically optimised dual component handle for fatigue reduced work and
- optimum transmission of force
- Handle design prevents rolling Chrome vanadium molybdenum steel

Part No.	Length mm	Size	Description	PRICE
98 20 55	232	5.5mm	Screwdriver for slotted screws	\$19.95
98 24 02	212	PH2	Screwdriver for Phillns® Screws	\$22.05

LIMITED EDITION



Long Nose Side Cutting Pliers Twin Pack KBP 021

- Elastic tips: dimensionally stable even when twisted
- Half-round, long, pointed jaws

Contents

Part No.	Handles	Tip	Capacit	y mm Ø	Length
rareno.	nunuics	114	Soft	Med	mm
26 11 200	Plastic	Straight	3.2	2.2	200
26 21 200	Plastic	Bent	3.2	2.2	200

MADE IN JAPAN



CLEARANCE **Anchor Bolt Plier** HITAB100 235mm Works fast with easy operation

ARANCE



Angular Bolt Cutters

HITAC600 600mm

- Angular jaws with side cut blades which have a $30^{\circ}\,\text{offset}$ to keep work in view and hands clear of work surface while cutting
 For flush cutting of wire in concrete walls, ceilings and floors

Length	Cutting Capacity		
mm	Soft Metal	Hard Metal	
600	10mm	8mm	



Professional Hand Riveter

HITHR001 260mm

- Strong durable construction ensures precise riveting
- 4 interchangeable nose pieces for 2.4mm, 3.2mm, 4.0mm and 4.8mm rivets



Long Arm Hand Riveter

HITHR003 450mm





- Heavy duty riveter with a lazy tong setting action
- Single pull back design for quick and repetitive operation
- Suitable for aluminium and steel rivets
- 3 interchangeable nose pieces for 3.2mm 4.0mm and 4.8mm rivets

BONUS PACKS

Red Jaw High Tensile Bolt Cutters Centre Cut

- Recommended for heavy duty use, cuts through chain links, high tensile bolts, nuts and high tensile wire for pre stressed concrete
- Maximum hardness of material to be cut: Brinell 450, Rockwell C48, 162kg/mm² or 110 tonnes/sq.in

BONUS PACK	Contents	Cutting Capacity	BONUS	PRICE
Pack Part No.	Contents	High Tensile	Bolt Cutters	PRICE
HBP009	HITNBC0750H	8mm	HITNBC0300	\$169.95
HBP010	HITNBC0900H	9mm	HITNBC0300	\$229.95
HBP011	HITNBC1050H	10mm	HITNBC0300	\$329.95

BONUS **Professional Bolt Cutters with each** pack 300mm

Reinforced Rubber Hose Cutters

Heavy Duty

- Designed for cutting reinforced rubber hose
- Suitable for gas, air and water hoses that have an inbuilt steel core

Part No.	Length mm	Cutting Capacity mm dia.	Weight kg	PRICE
HITHC400	400	9.5-13	1.0	\$84.95
HITHC500	500	9.5-25	1.8	\$134.95



Left, Right and Straight Cut 250mm

- Light weight metal snips for all general sheet metal work
- Suitable for cutting sheet metal up to 18 gauge
- Special alloy hardened and heat-treated cutting blades Comfortable grip with spring action allows for one hand operation

Part No.	Cut Type	Cutting Capacity mm dia.	Cutting Capacity Gauge	Length mm
HITMS260L	Left	1	18	250
HITMS260R	Right	1	18	250
HITMS260S	Straight	1	18	250









Part No.	Tuna	Capacity mm		
	Туре	Hard	Mild	Piano
HITPC200	Hand Cutter	2.5	4	2.5
HITPE200	End Cutter	2	3.5	-
HITPH200	Wire Cutter	3	4	2.5

Aluminium Pipe Wrenches

- Lightweight construction for greater portability
- Floating forged steel jaws for fast ratcheting action
- Wide and smooth teeth are ideal for vinyl coated pipes Hook jaw with spring suspension for quick grip and release

O CHI MINISTER, MILL

Part No.	Length	Capacity	PRICE
Turcito.	mm	mm	THICL
HITALP250S	250	48	\$66.95
HITALP300S	300	60	\$73.95
HITALP350S	350	72	\$89.95
HITALP450S	450	86	\$124.95
HITALP600S	600	105	\$169.95
HITALP900S	900	150	\$299.95

Concrete Mesh Cutter

HITRCA800 800mm

- Specially designed for cutting extra hard steel concrete mesh (high tensile 8mm)
- Comfortable rubber handles ensure a firm and safe grip during operation







RENNSTEIG

MADE IN GERMANY



- $\bullet \quad \text{For stamping out or producing gaskets and seal rings from materials such as rubber,} \\$ leather, felt, plastic, cork, fabric or similar components
- Size Range: 3 19, in increments of 2mm

Flat Cold Chisels

Designed to cut metal

Part No.	Length mm	Blade Length mm	Shaft mm	PRICE
310 150C	150	18	17 x 11	\$14.50
310 200C	200	24	23 x 13	\$16.95
310 250C	250	25	23 x 13	\$19.95
310 300C	300	26	23 x 13	\$24.95



- Set of five parallel pin punches XXL in foam tray with quality case
- Heat treated for the perfect balance of hardness, strength and durability
- Two-component soft handguard protects from miss hits, hand slippage and reduces hand fatigue from excess vibrations



Contents	Size mm	Contents	Size mm
Pin Punch Insert	3, 4, 5, 6, & 8	Brass Inserts	4, 5, 6, & 8
Taper Punch Insert	3, 4, 5, 6, & 8	Open End Spanner	8 & 10
Centre Punch Insert	4	Two Component Handle	90

Wrecking & Podger Bars

- Heavy duty forged steel construction
- Rustproof red powder-coated finish
- Wrecking Bars Flat oval design, twice as strong (compared to hexagonal)
- Podger Bars Taper point and pry bar tip

Part No.	Туре	Length mm	Shaft mm	PRICE
273 400	Podger Bar	400	16 Hex	\$49.95
273 500	Podger Bar	500	20 Hex	\$49.95
273 600	Podger Bar	600	20 Hex	\$49.95
Part No.	Туре	Length mm	Shaft mm	PRICE
276 400	Wrecking Bar	400	20 x 12	\$29.95
276 500	Wrecking Bar	500	20 x 12	\$31.95
276 600	Wrecking Bar	600	20 x 13	\$33.95
276 800	Wrecking Bar	800	20 x 13	\$39.95
276 1000	Wrecking Bar	1000	20 x 13	\$59.95







430 143 3 Piece

- For exact, offset free centring on various applications
- Perfect alignment due to the adjustable sleev
- Contains sizes 6-8mm, 8-11mm, 11-16 mm



Automatic Self Adjusting Insulation Stripper

- Fully automatic adjustment to all single, multi and fine stranded cables with PVC insulation
- Recessed wire cutter



Taper & Parallel Pin Punch Set

RTP8 8 Piece

- Set of seven pin punches and one taper punch in durable fabric wallet
- Contents: 3mm taper punch, 2, 3, 4, 5, 6, 8 and 10mm pin punches

BONUS PACK

Parallel Pin Punch Set RBP006 150mm 5 Piece

• Bonus Rennsteig Mini Wrecking Bar

- Parallel pin punches used for removing pins in parallel holes and to punch holes when struck by a hammer
- Two-component soft handguard protects from miss hits, hand slippage and reduces hand fatigue from excess vibrations



BONUS Mini Wrecking Bar Length: 300mm, Blade 23mm

Contents RBP006

Part No.	Description	Punch Size mm	Length mm	Qty
425 152	Parallel Pin Punch	2	150	1
	Parallel Pin Punch	3	150	1
	Parallel Pin Punch	4	150	1
	Parallel Pin Punch	5	150	1
	Parallel Pin Punch	6	150	1
BONUS				
279 300	Mini Wrecking Bar		300	1

Mounting Tool

449 500 With pointed tip 500mm

- Used for the alignment of holes prior to fixing
- Suitable for scaffolding assembly and steel construction work
- Special tool steel, painted
- Hardened and tempered striking head

Length mm	Shaft Size mm	Tip Size mm	Weight g
500	20	5	1035





SPECIALS · SPECIALS · SPECIALS · SPECIALS · SPECIALS

Thread File Set



- For the restoration of damaged or worn threads Works on both left and right hand thread applications
- Each thread file provides eight different pitch sizes
- File Length: 75mm
- Overall Length: 215mm
- Made in England



Contents

Part No	Thread	Pitch
015600	BSW/BSF	11, 12, 14, 16, 18, 20, 22, 26
015601	SAE/UN	12, 13, 14, 16, 18, 20, 24, 28
015602	Metric	0.75, 1, 1.25, 1.5, 1.75, 2, 2.5, 3
015603	BSP	11, 12, 14, 16, 19, 20, 22, 28



Professional Flood and Area Worklight 300609 Rechargeable

- Multifunctional flood and area light suitable for use in workshops, building, camping an
- Adjusts the brightness from 60-1000 Lumens



Professional LED Work Light

300601 Rechargeable

- Multifunctional work light
- Lighting modes: top light with direct beam and work light with wide flood beam
- Super strong magnets and two 360° rotating hooks





Professional Twinbeam Pocket Worklight

- Multifunctional Twinbeam worklight contains



WHILE STOCKS L

Cam Belt Pulley Puller

- Removes pulleys by using the holes in the pulley
- Spread: 40-70mm, Reach: 40mm, Diameter: 90mm



Twin & Triple Leg Puller Kit 082 705

- Quick and safe removal of gears, races, bearings pulleys and sprockets
- Contains three double ended reversible legs and two beams to suit various pulling applications
- Makes four different puller combinations Spread 0 - 150mm,
- Reach 80mm
- Made in England





Hydraulic Twin Leg Puller Kit 152 400

- Ideal for a wide range of automotive and industrial applications including gear pulling, bearing extraction and hub removal
- Features forged alloy steel legs for added strength and durability
- Supplied in custom moulded EVA foam tray
- Spread 50 100mm.
- Made in England





Professional Foldable LED Slimlight

300606 Rechargeable

- Handy foldable pocket pen light for quick and easy illumination
- Features three lighting modes: front fold out flood light with normal and eco modes, rear flood light and direct





Hook, Pick and Scraper Set

660 887 9 Piece

- Includes multi-purpose scraper, ideal for gasket scraping
- $Contains\ eight\ hooks\ and\ picks,\ ideal\ for\ the\ fitting\ and\ removal\ of\ seals,\ 0\ rings,\ bushes,\ rings,\ rings,$ springs, cotter pins and fuses

Thin Jaw Twin Leg Puller

- Specially designed leg jaw profile for pulling tasks where there is limited clearance behind the component to be removed
- Features two legs for removing gears, races, bearings and sprockets
- Spread 0 75mm,
- Reach 75mm Made in England



1500 Series Hydraulic Ram 150 000

- Renowned globally for quality and reliability
- Rated to 80kN providing 8 tonnes of force
- Direct force eliminates twisting and improves stability under load
- Made in England



WHILE STOCKS LAST

Pulley Holding Tool

- Designed for removing or replacing pulleys on water pumps, alternators, power steering pumps etc. Can also be used to rotate camshafts and crankshafts
- The hold is tighter than with a normal strap wrench, therefore these tools can also be used to remove oil & fuel filters where access permits
- Handle length: 365mm
- Belt length: 800mm



Professional Digital Torque Wrench 830 200

- Easy to read OLED digital display Push-thru ratchet head
- TimeStrip re-calibration indicator Rapid push/pull torque adjustment knob
- - Rechargeable lithium battery
- Supplied with USB charging lead Calibration certificate included

12 different units of Torque measure

- Made in England
- Length Range Nm 40 - 200 474mm







SPECIALS · SPECIALS · SPECIA S · SPECIALS · SPECIALS · SPECIALS

Bush Driver Set BS9144 17 Piece

- Designed for removal and replacement of bearings and oil seals
- and seal driver tools, manufactured from aluminium for damage free bearing and oil seal replacement



U Hook Handle BS5201 220mm

- Convenient hook handle used to remove exhaust springs, seat or tank holding springs, side stand springs, split pins and other parts
- Easier and safer to use than pliers
- T-handle grip for comfortable easy use
- Made from heat treated low carbon steel



Tool Set

- or sleeves onto brake components and hydraulic systems without risk of damage



Pulley Nut Wrench Dual End

BS9853

- "T" type dual head pulley wrench is • used in conjunction with a locking wrench while torquing the pulley nut
- Dual size suits common applications
- Style: 12 Point
- Size: 14, 17mm



6 in 1 Magneto Fly Wheel Puller BS9950

- Specially designed tool for the standard AC flywheel wheel ring
- Since some flywheels are the taper lock style, they can only be disengaged using this specialist tool
- Use with soft face hammer for quick removal from tapered shafts
- Sizes: M10 x 1.25 RH, M14 x 1.5 RH, M16 x 1.5 RH, M18 x 1.5 RH, M24 x 1.0 RH, M27 x 1.0 LH



Tappet Adjusting Tool

Set BS2201

- Three sockets and three adjusters which are interchangeable to allow nine different combinations
- Hollow socket design provides access for adjuster making tappet adjustment an easy single operation
- For most motorcycles and ATVs with screw-type tappet adjustments
- Hex wrenches: 8, 9, 10mm; Square adjusters: 3, 4mm; Flat adjuster: 4mm

Cylinder Compression Test Kit BS8001

- Designed specifically for testing motorcycle and small engine compression • Features a 70mm dual scale gauge (0-300PSI / 0-20kg/cm2) with chrome bezel and
- quick coupler fitting Supplied with three 12" hose adaptors featuring quick coupler attachments
- Thread sizes: M10 x 1.0, M12 x 1.25, M14 x 1.25



Piston Ring Compressor Set

- $\bullet \ \ \, \text{The ideal compressor set for quick top end rebuilds or serious engine overhauls}$
- Supplied with piston ring pliers and swivel type compressor pliers
- Ratcheting plier function holds the piston ring in
- position for easy installation of the piston into the bore Suitable for piston rings 35mm 111mm (1 3/8" 4 3/8")



- Professional digital Torque wrench with LCD display
- 72 teeth reversible ratchet enables left and right hand thread capability
- Oil and impact resistant handle ensures durability and long service life

Part No.	Square Drive	Range	PRICE
BS5421	1/4"	10-50	\$199.95
BS5422	3/8"	20-100	\$210.95
BS5423	1/2"	40-200	\$249.95





Stud Remover and Installer

- Easily removes and installs studs without damage to threads
- Suitable for most popular thread stud sizes

Part No.	Thread
BS2311	M6 x P1.0
BS2312	M8 x P1.25
BS2313	M10 x P1.25
BS2314	M10 x P1.5



Spark Plug Maintenance Kit BS1298 6 Piece

- Specially designed hole can adjust the gap width of the spark plug without pressuring the centre electrode
- Tapered edge sets spark plug gaps from 0.50 to 2.25mm (0.020" to 0.100")
- Five thin mini files designed for ignition points and
- electrode cleaning
 Range: 0.50-2.25mm (0.020"-0.100")




• Extra thin wall deep socket designed to access narrow spark plug holes found on many motorcycles

Part No.	Size		PRICE
BS9132	14mm	%"Sq dr. and Hex dr.	\$13.95
BS9133	16mm	3⁄8″ Sq dr. and Hex dr.	\$13.95
BS9134	18mm	%"Sq dr. and Hex dr.	\$14.50
BS9135	21mm	3/8" Sq dr. and Hex dr.	\$14.50

Personal Tool Pack BS9725 34 Piece

- Convenient tool carrying pack
- designed for metric motorcycle Contains a selection of hex sockets, drive bits
- open-end wrenches and pliers





Personal Tool Pack


BS9728 26 Piece

- Contains 1/4"Sq. Dr. ratchet and a selection of multi driver sockets and drive bits
- Fits metric and SAE 6 point, 12 point, TX-Star, Square, 30% round off, Spline and Ribe nuts



Tyre Change Extruder **Tool BS8008**

- Used to assist in tyre changing or common alloy wheel rims
- Pushes the tyre bead down into the centre of the rim allowing room for tyre levers



-		
Part No.	Length mm	PRICE
BS5603	200	\$14.95
BS5604	400	\$24.95
BS9953	280	\$23.95
BS5612	350	\$34.95







SUPER HOT PRICE!

SPECIALS · SPECIALS · SPECIALS · SPECIALS · SPECIALS

SUPER HOT PRICE!





Portable USB Solar Charger



SUPER HOT PRICE!



- 7 metres of 7mm² Twin Core Cable
- 50 AMP Connectors
- 100% Pure Copper
- Rec. Max Continuous Current 50 amps

SUPER HOT PRICE!



Portable Solar Charger



- 5V USB Solar Charger
- Ultra-Light Compact
- Water Resistant
- 160 x 250 x 18mm



NEW PRODUCT!



MA40DCS With solar input

- 40 AMP charging Chemistry selectable
- Dual input alternator/solar
- IP65 under-bonnet suitable
- Suits smart and conventional alternates MPPT solar charge controller

12V Battery Monitor

MA98416

 DIY install in two minutes Bright colour coded LED's indicate battery voltage

12V/5V Portable Solar Charger

NEW PRODUCT!

MA1103 14 WATT

Water Resistant

 12V/1A Solar Maintainer 5V/2A USB Solar Charger

Ultra-light and compact

Size: 495 x 235 x 2mm

- Easily visible from metres away
- Fast, accurate and reliable
- Water and dust proof to IP67



\$2.50 FROM

Cable Lug Pairs

- 100% pure copper crimp terminals
- Crimp or Solder connections






	mm*	mm	
MA10-8BL2	10	8	\$2.50
MA10-10BL2	10	10	\$2.50
MA16-8BL2	16	8	\$2.80
MA16-10BL2	16	10	\$2.80
MA25-8BL2	25	8	\$3.50
MA25-10BL2	25	10	\$3.50
MA35-8BL2	35	8	\$4.30
MA35-10BL2	35	10	\$4.30
MA35-12BL2	35	12	\$4.30

Part No.	Cable mm²	Hole mm	PRICE
MA50-8BL2	50	8	\$5.25
MA50-10BL2	50	10	\$5.30
MA50-12BL2	50	12	\$5.50
MA70-8BL2	70	8	\$6.00
MA70-10BL2	70	10	\$6.60
MA70-12BL2	70	12	\$6.60
MA95-10BL2	95	10	\$9.90
MA95-12BL2	95	12	\$9.90





S · SPECIALS · SPECIALS



- Manufactured from virgin nylon 6/6, UL94V-2 flammability rating



Part No.	Colour	Length mm	Width mm	Pack Qty	PRICE
СТР07	Assorted	100	2.5	500	ċ0.00
CIPU/	Assorted	150	2.3	300	\$8.00
CTP25	Assorted	100	2.5	1000	\$20.00
CIFZS	Assorted	100	4.8	1000	\$20.00
CTP26	Assorted	300	4.8	300	\$29.50
CTP27	Black	100	2.5	200	¢5.20
CIPZI	Black	200	3.6		\$5.30
CTDOO	Assorted	100	2.5	200 \$5.3	¢5.20
СТР29	Assorted	200	3.6		\$5.50
CTD20	Military Assorted	100	2.5	200	\$5.30
СТР30	wiiitai y Assorteu	200	3.6	200	\$3.5U



1.00

Cable Tie Combo Pack CTCP10 1000 Piece

Assorted cable tiesAll popular sizes



\$2.50 FROM	
ROT PRICE	
B JOH - 30	
	U)
	श्व

CT154RKCD CT205BKCD

CT305BKCD

CT308BKCD

CT559BKCD

Cable Tie Packs Black

UV Stabilised

Part No.	Colour	Length mm	Width mm	Pack Qty	PRICE
CT154BKCD	Black	150	4	100	\$2.50
CT205BKCD	Black	200	5	100	\$3.60
CT305BKCD	Black	300	5	100	\$7.10
CT308BKCD	Black	300	8	25	\$3.40
CT559BKCD	Black	550	9	25	\$9.25
CT759BKCD	Black	750	9	25	\$15.80
CT408BKCD-100	Black	400	8	100	\$14.75
CT408BKCD	Black	400	8	25	\$4.70

Tridon Clock Hose Clamp Bonus Pack

HURRY! HURRY! LIMITED PACKS AVAILABLE!

• Manufactured in Australia to the highest standard

• Part stainless steel, perforated band

• Easy to install

· Maximum strength



Part No: TBP134 Contents						
Part No.	Size Range	Qty	Part No.	Size Range	Qty	
MH004	6-16mm	50	HS010	14-27mm	40	
MH005	11-18mm	30	HS020	21-44mm	30	
MH006	11-22mm	40	HS024	27-51mm	30	
HS008	13-25mm	30	FREE	WALL CLOCK	1	





- Handy 30cm wall clock
- Sweep motion
- Batteries included
- Size 300 x 46mm

TRIDON AVAILABLE 1 MAY - 31 JULY 2021 ALL PRICES INCLUDE GST



Thread Files

- Designed to restore damaged, worn or corroded threads
- Suitable for left and right handed threads of almost any diameter

Part No.	Description	Thread Pitch
301065	Metric	0.80, 1.00, 1.25, 1.50, 1.75, 2.00, 3.00 (mm)
301066	Imperial	10, 11, 12, 14, 16, 18, 20, 24 (TPI)



OLEDO

Magnetic Torpedo Level

322010 250mm

- Handy magnetic level suitable for minor and major tasks
- Features horizontal and vertical shockproof acrylic vials
- Precision milled flat surface with an accuracy of <0.5mm/m (0.0005 in/in)



- Special set to create or repair threads for auto, industrial and engineering applications
- Rapid ratcheting handle with rubber grips suitable for working in confined areas
- Includes metric thread pitch gauge

• 6-24 Volts 90mm Probe







@ Bikeservice

Hand Drive Bit Sets

- Drive bits are essential for motorcycle work
- High quality heat treated S2 steel bits
- Palm size 1/4" high torque ratchet wrench is suitable for confined spaces

Part No.	Style	Size	PRICE
BS6005	Flat & Phillips	3, 4, 4.5, 5.5, 6.5mm & PH0, PH1, PH2, PH3	\$29.99
BS6006	HEX	1.5, 2, 2.5, 3, 3.5, 4, 5, 5.5, 6, 8mm	\$29.99
BS6007	5 Point	T10, T15, T20, T25, T27, T30, T40, T45, T50	\$31.95



@ Bikeservice

Key Set

BS9102 Hex Magnetic 9 Piece

- 9 piece angled key set with inbuilt magnet Ball end allows improved access to application and up to 25° working angle
- Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm





Wire Rope Cutter HITWC16 With Cable Locator 900mm

- Heavy duty design with built in cable locator
- Holds and locks cable in cutting position to ensure a clean and precise cut
- Notched shear cut blade is designed to cut wire rope up to 150kg/mm²
- Max. Cutting Cap: 150kg/mm²
- Made in Japan



@ Bikeservice

Key Sets Extra Long **BS9101** 9 Piece

- Features extra-long angled key shafts
- With magnetiser to assist in the fitment and removal of fasteners
- Chrome-vanadium steel with polished chrome plated finish
- Supplied in a hinged storage holder with magnetiser attached



Part No.	Style	Size	PRICE
BS9101	TORX	T10, T15, T20, T25, T27, T30, T40, T45, T50	\$29.95
BS9103	HEX	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	\$30.95

0147-21. Prices valid 1 May to 31 July 2021. Prices include GST. Please refer to the relevant Tridon catalogues for more comprehensive product information. As participating stores are independant businesses, they reserve the right to set their own selling prices. Pricing throughout this publication is the recommended trade price and may vary from store to store. Every effort has been made to ensure stocks are available at the time of printing. Should any item not be in stock on placement of orders, stores will endeavour to procure those published items. Product images are for illustration purposes only. Produced by Tridon Australia Pty Ltd ACN 001 398 698 ABN 90 001 398 698